



**IPS Event Detail**

Report Date : 30/06/2015 13:56

Event No: 120209031  
 Call Received: 26/02/2012 17:35:44  
 Stop Msg Date: 26/02/2012 18:27:36  
 Turnout Area: ANGL2 Code: 1  
 Call Source: 000  
 Event Status: ST  
 Event Code: 621  
 Event Type: NON STRUCTURE FIRE

Alarm Id:   
 Alarm Level: 1  
 Melway Ref: ??????????  
 Esmap Ref: 93 D8  
 District 7 Ref: C 6864 C15  
 OGDG X: 2426884  
 OGDG Y: 2344076

Street: COALMINE RD  
 Suburb: ANGLESEA  
 Cross 1: MESSMATE TRK  
 Cross 2: STRIP TRK  
 Common:  
 Caller: JIMI  
 Phone: 0409505199  
 Close Date: 26/02/2012 18:46:54  
 Last Update: 26/02/2012 18:46:54

Firm No:   
 Firs No: 411203  
 Ims No: 1350953  
 Merge to: 0  
 Suspicious: N  
 Significant: N  
 Notes:

Resource Status	Record Date	Unit Id	Unit Status	Unit Type	Comment
	26/02/2012 17:36:17	CANGL	DI	PRIM	
	26/02/2012 17:36:20	CANGL	TO	PRIM	
	26/02/2012 17:36:20	CANGL	PI	PRIM	ANGLESEA
	26/02/2012 17:36:20	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:36:21	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:36:21	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:36:22	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:36:22	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:36:24	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:36:24	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:36:26	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:36:29	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:36:33	CANGL	PT	PRIM	ANGLESEA
	26/02/2012 17:40:04	CAIRE	DI	PRIM	
	26/02/2012 17:40:04	CANGL	DI	PRIM	
	26/02/2012 17:40:07	CANGL	TO	PRIM	
	26/02/2012 17:40:07	CAIRE	PI	PRIM	AIREYS INLET
	26/02/2012 17:40:07	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:40:07	CAIRE	TO	PRIM	
	26/02/2012 17:40:07	CANGL	PI	PRIM	ANGLESEA
	26/02/2012 17:40:09	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:40:09	CAIRE	PS	PRIM	AIREYS INLET
	26/02/2012 17:40:11	CAIRE	PP	PRIM	AIREYS INLET
	26/02/2012 17:40:12	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:40:14	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:40:14	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:40:15	CANGL	PS	PRIM	ANGLESEA
	26/02/2012 17:40:15	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:40:16	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:40:23	CANGL	PP	PRIM	ANGLESEA
	26/02/2012 17:40:23	CAIRE	PS	PRIM	AIREYS INLET
	26/02/2012 17:40:27	CANGL	PT	PRIM	ANGLESEA



IPS Event Detail

Report Date : 30/06/2015 13:56

Resource Status	Record Date	Unit Id	Unit Status	Unit Type	Comment
	26/02/2012 17:40:30	CAIRE	PT	PRIM	AIREYS INLET
	26/02/2012 17:40:31	CAIRE	PP	PRIM	AIREYS INLET
	26/02/2012 17:43:30	ANGLT2	EN	TNK24	
	26/02/2012 17:46:35	ANGLP1	EN	PUMP2	
	26/02/2012 17:48:19	AIRET1	EN	TNK34	
	26/02/2012 17:49:10	ANGLT1	EN	TNK24	
	26/02/2012 17:51:41	ANGLT1	OS	TNK24	COALMINE RD,ANGLESEA
	26/02/2012 17:51:45	ANGLT1	OS	TNK24	### COALMINE RD CONTROL
	26/02/2012 17:52:53	ANGLP1	OS	PUMP2	COALMINE RD,ANGLESEA
	26/02/2012 18:00:35	AIRET1	RS	TNK34	RETURNING
	26/02/2012 18:06:01	ANGLT2	RS	TNK24	RETURNING
	26/02/2012 18:10:48	AIRET1	IS	TNK34	AIREYS INLET
	26/02/2012 18:11:22	ANGLT2	RS	TNK24	RETURNING
	26/02/2012 18:23:48	ANGLT2	IS	TNK24	ANGLESEA
	26/02/2012 18:40:25	ANGLT1	RS	TNK24	RETURNING
	26/02/2012 18:40:28	ANGLP1	RS	PUMP2	RETURNING
	26/02/2012 18:46:51	ANGLP1	IS	PUMP2	ANGLESEA
	26/02/2012 18:46:54	ANGLT1	IS	TNK24	ANGLESEA
Comments	Record Date	Line	Comment		
	26/02/2012 17:35:44	0	** CLI> 850513 17:33:38 26/02/2012. 25 GROSSMANS RD TORQUAY VIC 3228, 0409505199		
	26/02/2012 17:35:45	0	SC: PLUME OF SMOKE		
	26/02/2012 17:36:11	0	** Event Priority changed from 1 to 3 at: 26/02/12 17:36:11		
	26/02/2012 17:36:11	0	** Event Type changed from 631 to 631(3) at: 26/02/12 17:36:11		
	26/02/2012 17:36:16	100	** Event held for 6 minutes and unit CANGL		
	26/02/2012 17:36:17	0	TN: NOTIFY DSESW BY PAGER		
	26/02/2012 17:36:17	1	TN: ---		
	26/02/2012 17:36:17	2	TN: NOTIFY MIDW BY PAGER		
	26/02/2012 17:36:53	0	** CLI> 926611 17:35:43 26/02/2012, 236 Great Ocean Rd ANGLESEA VIC 3230,		
	26/02/2012 17:36:53	1	0409797529		
	26/02/2012 17:37:52	0	MG: FURTHER CALLER AGREED SAME, STATING IT LOOKS TO BE GETTING PRETTY BIG		
	26/02/2012 17:38:10	0	NA: DSESW & MIDW VIA ADHOC PAGING		
	26/02/2012 17:38:59	0	CALLER ATATING IT IS A TRUCK OR AN EXCAVATOR ON FIR IN THE COAL MINE - AT THE		
	26/02/2012 17:38:59	1	BOTTOM.		
	26/02/2012 17:39:34	0	** Event Type changed from 631(3) to 621 at: 26/02/12 17:39:34		
	26/02/2012 17:39:34	0	** Event Priority changed from 3 to 1 at: 26/02/12 17:39:34		
	26/02/2012 17:39:55	0	SC: EQUIPMENT FIRE IN COAL MINE		
	26/02/2012 17:39:56	0	BEST ACCESS IS THE ALCOA COALMINE ENTRANCE... NFD		
	26/02/2012 17:40:05	0	** CLI> 897162 17:38:00 26/02/2012, 1175 WINCHELSEA-DEANS MARSH RD WINCHELSEA		
	26/02/2012 17:40:05	1	SOUTH VIC 3241, 0428887280		
	26/02/2012 17:40:17	0	NA: FSCC- UPGRADE TO CODE 1 RESPONSE- 621		



**IPS Event Detail**

Report Date : 30/06/2015 13:56

Comments	Record Date	Line	Comment
	26/02/2012 17:40:33	0	MG: CALL CAME FROM LOCAL MEMBER OF PARLIMENT STATED FIRE WAS ABOUT 1.5 KLMS IN
	26/02/2012 17:40:33	1	MG: A NTH WEST DIRECTION FROM WHERE HE WAS WHICH WAS PICKWORTH DVE ANGLESEA
	26/02/2012 17:40:40	0	MG: NFD
	26/02/2012 17:44:16	0	MG: ANGLT2 ACK FURTHER
	26/02/2012 17:46:21	0	UNIT CAIRE HAS NOT YET RESPONDED AS AT 26/02/12 17:46:21.
	26/02/2012 17:47:25	0	MG: ANGLT2 - CAIRE NYR DO YOU REQ ANOTHER BRIG/
	26/02/2012 17:48:51	0	MG: AIRET1 ACK FURTHER
	26/02/2012 17:49:58	0	MG: ANGLT1 ACK FURTHER
	26/02/2012 17:52:31	0	MG: ANGET1 - ALL APPLS TO GO TO PORT CH 119
	26/02/2012 17:53:58	0	MG: ANGLP1 - GATE TO THE COALMINE IS LOCKED SO WE ARE GOING BACK TO THE
	26/02/2012 17:53:58	1	MG: ENTRANCE TO THE POWER STATION /ALL APPLS GIVEN AND ACK
	26/02/2012 17:58:17	0	MG: CTRL - SITREP PROCEEDING INTO THE MINE WITH AN ESCORT HAVE BEEN ADVISED
	26/02/2012 17:58:17	1	MG: THE FIRE IS UNDER CONTROL BUT WE ARE GOING DOWN TO CHECK IT
	26/02/2012 18:00:08	0	MG: CTRL - PLEASE ADVISE WHICH APPL ARE ON THEIR WAY BASED ON INFORMATION
	26/02/2012 18:00:08	1	MG: RECEIVED AIRET1 CAN CANCEL AND RETURN AND ANGLT2 CAN PROCEED C3
	26/02/2012 18:00:35	0	AIRET1 RETURNING
	26/02/2012 18:01:43	0	MG: ANGLT1 WE HAVE SPOKE TO ANGLT2 AND THEY ARE GOING TO CANCEL AND RETURN AS
	26/02/2012 18:01:43	1	MG: THEY CAN SEE THE MINE AND SEE THAT THERE IS NO ACTION
	26/02/2012 18:05:46	0	MG: TO CTRL - ARE YOU ABLE TO PROVIDE A WB/ARE DOWN IN THE MINE ANGLP1
	26/02/2012 18:05:46	1	MG: RELAYING MESSAGE
	26/02/2012 18:06:01	0	ANGLT2 RETURNING
	26/02/2012 18:08:22	0	WB: CTRL - ANGL CAPT NSF UC
	26/02/2012 18:15:01	0	MG: CTRL SITREP FROM THE INCIDENT CONTROLLER - LARGE EXCAVATOR ON FIRE THE
	26/02/2012 18:15:01	1	MG: COALMINE HAS SIXTY THOUSAND LITRE TANKER ON SCENE. IT APPEARS TO BE AN
	26/02/2012 18:15:01	2	MG: ELECTRICAL FAULT IS BURNING FROM THE INSIDE OUT. THERE IS AMPLE PEOPLE AND
	26/02/2012 18:15:01	3	MG: WATER ON SITE TO DEAL WITH THE PROBLEM
	26/02/2012 18:27:37	0	WB: CTRL - CANGL CAPTAIN.. NSF ST
	26/02/2012 18:40:25	0	ANGLT1 RETURNING
	26/02/2012 18:40:28	0	ANGLP1 RETURNING

Resource Times	Unit Id	Datetime Mobile	Datetime On Scene	Datetime Returning	Datetime In Station
AIREYS INLET TANKER 1	AIRET1	26/02/2012 17:48:19	26/02/2012 17:48:19	26/02/2012 18:00:35	26/02/2012 18:10:48
ANGLESEA PUMPER 1	ANGLP1	26/02/2012 17:46:35	26/02/2012 17:52:53	26/02/2012 18:40:28	26/02/2012 18:46:51
ANGLESEA TANKER 1	ANGLT1	26/02/2012 17:49:10	26/02/2012 17:51:41	26/02/2012 18:40:25	26/02/2012 18:46:54
ANGLESEA TANKER 2	ANGLT2	26/02/2012 17:43:30		26/02/2012 18:06:01	26/02/2012 18:23:48

Dispatch Times	Brigade Id	Dispatch Start(DI)	Paging Start(PS)	Dispatch Finish(PP)	Paging Confirm.(PT)	Brigade Response
AIREYS INLET	AIRE	26/02/2012 17:40:04	26/02/2012 17:40:09	26/02/2012 17:40:11	26/02/2012 17:40:30	26/02/2012 17:48:19
ANGLESEA	ANGL	26/02/2012 17:36:17	26/02/2012 17:36:20	26/02/2012 17:36:21	26/02/2012 17:36:33	26/02/2012 17:43:30